

4

3

2




1

SHOWN AT MID-STROKE

REVISIONS					
ZONE	LETTER	DESCRIPTION	DATE	CHECKED	APPROVED

D

D




C

C

B

B

INTERMITTENT FORCE @10% DUTY CYCLE	42.2 N	9.5 LB
CONTINUOUS FORCE	13.3 N	3.0 LB
FORCE CONSTANT	4.2 N/A	0.95 LB/A
BACK EMF CONSTANT	4.2 V/M/S	0.11 V/IN/S
STROKE	31.8 mm	1.25 IN
COIL CLEARANCE PER SIDE	3.56 mm	0.140 IN
COIL ASSY MASS	91 GR	3.21 OZ
BODY MASS	459 GR	16.2 OZ
COIL RESISTANCE	2.8 Ohms	
COIL INDUCTANCE @ 1000 Hz	1.43 mH	
MAX CONTINUOUS POWER	28 W	



CONTINUOUS FORCE

THIS DOCUMENT, WHETHER OR NOT MARKED AS PROPRIETARY, IS CONSIDERED CONFIDENTIAL AND SHALL REMAIN THE PROPERTY OF MOTICONT AND SHALL BE RETURNED TO MOTICONT UPON REQUEST WITH ALL COPIES MADE THEREOF. THIS DOCUMENT CANNOT BE UTILIZED IN THE MANUFACTURE OF ARTICLES SOLD OR OFFERED OR DISCLOSED TO ANYONE AND NO USE OF IT CAN BE MADE UNLESS EXPRESSLY AUTHORIZED BY AND UNDER THE DIRECTION OF MOTICONT. POSSESSION OF THIS DOCUMENT IS ACCEPTED SUBJECT TO THE FOREGOING.

A

A

2-FOR PROPER HEAT DISSIPATION, THE MOTOR SHOULD BE MOUNTED ON A METALLIC BODY WITH ADEQUATE SURFACE AREA IN AN UNRESTRICTED FLOW OF AIR.

1-ALL VALUES AT 25°C

NOTES :
UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES (mm)	
TOLERANCES ON:	
DECIMALS	FRACTIONS ANGLES
.XXX .XX	± 1/125 ± 1/2'
± .005 ± .01 UNLESS OTHERWISE SPECIFIED	
USED ON	NEXT ASSY
APPLICATION	

MATERIAL	CONTRACT
FINISH	DRN
	CHKD
	APPVD
	APPVD

SIZE	CODE	DWG. NO.	REV.
A		LVCM-051-051-06	1

MOTICONT			
LINEAR VOICE COIL MOTOR LARGE RADIAL GAP			
SCALE: 1 / 1	SHEET 1 OF 1		

4

3

2

1